East Bay since 1934
RESTAURANT SUPPLY, INC.

Quote

05/15/2018

To:
San Leandro Unified School District
DeeAnne Cortes
14735 Juniper St
San Leandro, CA 94579
510-667-3508
510-667-3508 (Contact)

Project:
San Leandro Unified School District
Garfield Elementary & Washington Elementary
San Leandro, CA 94579

From:
East Bay Restaurant Supply, Inc.
Carlito Oyas
49 Fourth Street
Oakland, CA 94607-4603
(510) 465-4300
(510)465-4300 (Contact)

Project Code: 37569

Job Reference Number: 33479

Item	Qty	Description	Sell	Sell Total
1	2 ea	**HAND SINK**  Advance Tabco Model No. 7-PS-56-2X Hand Sink with Side Splashes, wall model, 9" wide x 9" front-to-back x 5" deep bowl, 20 gauge 304 stainless steel, splash mounted faucet, drain with strainer plate & 1-1/2" IPS connection, NSF, cCSAus (minimum order 7)	$472.64	$945.28
		ITEM TOTAL:		**$945.28**
2	2 ea	**WORK TABLE, STAINLESS STEEL TOP**  Advance Tabco Model No. TGLG-488 Work Table, 96"W x 48"D, 14 gauge 304 stainless steel top, galvanized legs with center & side crossrails, adjustable plastic bullet feet, NSF	$2,178.90	$4,357.80
		ITEM TOTAL:		**$4,357.80**
3	2 ea	**THREE (3) COMPARTMENT SINK**  Advance Tabco Model No. 93-43-72-36RL Regaline Sink, 3-compartment, with left & right-hand drainboards, 24" front-to-back x 24"W sink compartments, 12" deep, with 8"H backsplash, stainless steel open frame base, side crossrails, 36" drainboards, 1" adjustable bullet feet, 16 gauge 304 stainless steel, overall 31" F/B x 151" L/R, NSF (requires 2 faucets)	$3,484.41	$6,968.82
	2 ea	12" spout		
	2 ea	K-1 Faucet, splash mounted, 8" OC, 12" spout	$96.89	$193.78
	2 ea	Note: This faucet complies with 2014 Federal no lead standards		
	2 ea	Prerinse faucets		
	4 ea	DTA-53 Heavy Duty Pre-Rinse Faucet, 8" OC splash-mounted, includes: spray valve & hose, riser, wall bracket, overhead spring, lead free	$358.18	$1,432.72
	2 ea	K-117 Pre-Rinse Add-A-Faucet, 12" swing spout, for K-116, lead free	$140.06	$280.12
	2 ea	Note: This faucet complies with 2014 Federal no lead standards		
	6 ea	K-15 Lever Waste Drain, twist handle operated with built in overflow, fits 3-1/2" drain opening, 2" NPT & 1-1/2" IPS outlet connections	$194.70	$1,168.20
	6 ea	K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain	$50.51	$303.06
	2 ea	K-460A Installation, disposal cone with 14" x 16" control bracket & faucet holes (each)	$351.75	$703.50

Initial: _____

Item	Qty	Description	Sell	Sell Total
	2 ea	Specify which drainboard to install cone into		
	2 ea	K-700 Side splash, removable, for NSF sinks & dish tables, 12" tall, reversible (fits either end) (Specify model to be installed on)	$189.19	$378.38
	2 ea	K-37 Anti-Siphon vacuum breaker holes	$50.05	$100.10
	26 ft	K-479 Undershelf, stainless steel, (per linear foot)	$102.86	$2,674.36
			ITEM TOTAL:	**$14,203.04**
4	2 ea	**DISPOSER**	$1,977.91	$3,955.82
		InSinkErator Model No. SS-200-5-MRS SS-200™ Complete Disposer Package, sink mount system, with #5 adaptor for 3.5" to 4" sink opening, 2 HP motor, stainless steel construction, includes syphon breaker, solenoid valve, flow control valve, manual reverse switch, adjustable leg kit		
	2 ea	(1) year parts & labor warranty from date of installation (standard)		
	2 ea	Standard height disposer body		
	2 ea	115v/60/1-ph, 17.4 amps		
	2 ea	SYPHON STD Syphon breaker standard, 1/2" (11477)		
			ITEM TOTAL:	**$3,955.82**
5	2 ea	**WORK TABLE, CABINET BASE SLIDING DOORS**	$4,142.90	$8,285.80
		Advance Tabco Model No. CB-SS-3012M Work Table, 144"W x 30"D, cabinet base with midshelf & sliding doors, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF		
	8 ea	TA-46 Door lock, one required for each hinge door or for each set of sliding doors	$123.07	$984.56
			ITEM TOTAL:	**$9,270.36**
6	2 ea	**WORK TABLE, STAINLESS STEEL TOP**	$125.44	$250.88
		Advance Tabco Model No. TT-303-X Special Value Work Table, 36"W x 30"D, 18 gauge 430 stainless steel top with rolled rim on front & rear, adjustable galvanized undershelf, galvanized legs with adjustable plastic bullet feet, NSF		
			ITEM TOTAL:	**$250.88**
7	1 ea	**LABOR**	$2,800.00	$2,800.00
		Custom Model No. EB900 Labor to install S/S flashing into Pass Trough Window		
			ITEM TOTAL:	**$2,800.00**
8	1 ea	**STAINLESS STEEL**	$1,296.00	$1,296.00
		Custom Model No. MATERIAL Stainless Steel lining/flashing for 12ft pass through Window		
			ITEM TOTAL:	**$1,296.00**
9		**NOTE** Plumbing of sinks by others		

Merchandise	$37,079.18
Tax 9.75%	$3,342.22
Total	$40,421.40

Initial: _____

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: $40,421.40


ADVANCE TABCO
SMART FABRICATION™

STAINLESS STEEL
HAND SINKS
SIDE SPLASH UNITS

Item #: Qty #:
Model #:
Project #:


7-PS-40


7-PS-66
7-PS-66-NF (Faucet Not Included)


Includes Removable Rear Utility Tray


7-PS-76


7-PS-66W


7-PS-66L
or 7-PS-66R (Shown)


7-PS-87


7-PS-56 SPACE SAVER
9" x 9" x 5" Bowl

STANDARD FEATURES:

One piece **Deep Drawn** sink bowl design.
Sink bowl is 10" x 14" x 5".
Keyhole wall mount bracket.
Stainless steel basket drain 1-1/2" IPS.
Splash mounted 4" O.C. gooseneck faucet furnished with aerator.

7-PS-40 & 7-PS-66 Series Specific Features:
Welded 7 3/4" high side splashes.
7-PS-66W includes K-316 Wrist Handle Faucet
7-PS-40 lever operated drain and built-in overflow with plastic overflow tube and spring clamps. P-Trap is 1 1/2" IPS.

7-PS-56 Specific Features:
Space Saver Sink bowl is 9" x 9" x 5".
7 3/4" high side splashes.
Flat-Top Strainer 1-1/2" IPS.

7-PS-76 Specific Features:
12" high side splashes.
Includes 17 1/4" x 3" x 2 5/16" Full length removable Utility Tray for use with 12" Side Splash Units.
Lever operated drain and built-in overflow with plastic overflow tube and spring clamps. P-Trap is 1 1/2" IPS.

7-PS-87 Specific Features:
Same features as 7-PS-40 Plus C-Fold Paper Towel & Soap Dispenser.

CONSTRUCTION:


All TIG welded.
Welded areas blended to match adjacent surfaces and to a satin finish.
Die formed Countertop Edge with a 3/8" No-Drip offset.
One sheet of stainless steel - No Seams.
All sink bowls have a large liberal radii with a minimum dimension of 2" and are rectangular in design for increased capacity.

MATERIAL:

Heavy gauge type 304 series stainless steel.
Wall mounting bracket is galvanized and of offset design.
All fittings are brass / chrome plated unless otherwise indicated.

MECHANICAL:

Faucet supply is 1/2" IPS male thread hot and cold.


REMOVABLE UTILITY TRAY 7-PS-48
8" x 3" x 2 5/16" Tray - Tray hem allows to hang from any standard side splash. Perforated for water drainage.

Faucets Are AB1953 Lead Free Compliant.

For Replacement Faucets & Upgrades, Drains & Accessories
Visit our website at www.advancetabco.com

ADVANCE TABCO
SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or Fax: 631-242-6900


For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or Fax: 631-586-2933

REF-B


DIMENSIONS and SPECIFICATIONS

TOL Overall: ± .500" Interior: ± .250" **FITTINGS SUPPLIED AS SHOWN** **ALL DIMENSIONS ARE TYPICAL**

7-PS-40, 7-PS-66, 7-PS-66-NF, 7-PS-66W & 7-PS-66RorL
(7-PS-66 Series Excludes P-Trap & Lever Drain & Overflow)




TOP VIEW FOR 7-PS-40 & 7-PS-66 Series




7-PS-40 - 22 lbs.
7-PS-66 - 19 lbs.
7-PS-66-NF - 19 lbs.
7-PS-66W -22 lbs.
7-PS-66RorL - 20 lbs.

7-PS-56




14 lbs.

7-PS-76



27 lbs.

7-PS-87



34 lbs.

ADVANCE TABCO
SMART FABRICATION

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, MAY 2017

ADVANCE TABCO
SMART FABRICATION™

STAINLESS STEEL

WORK TABLES

PREMIUM Series - Flat Top - 48" Wide



Shown with optional shelf, drawer, sinks and faucets


Item #: _____ *Qty #:* _____

Model #: _____

Project #: _____



NEW
Rolled Rim Edges on Front & Back and Square Side Edges



Featuring as Standard:
"THE PROVEN"
ORIGINAL ADVANCE TABCO
Adjustable Undershelf with Die Cast Leg Clamp

FEATURES:

Top is furnished with 1-5/8" sanitary rolled rim edges on front & back and square side edges.

Four hat channels stud welded to reinforce & maintain a level working surface.

Pre-engineered welded angle adapters insure ease of future drawer installation.

SS-GLG Series:

Aluminum die cast "leg-to-shelf" to leg eliminating unsightly nuts & bolts. Undershelf is adjustable.

TSS-TGLG Series:

Front to Back Leg Stretchers welded to legs and requires assembly. Left to Right Stretcher bolted to legs.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.

Top is sound deadened.

Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.

MATERIAL: Undershelf (VSS-VLG)

TOP: 14 gauge stainless steel type "304" series.

SHELF: SS-Series: 18 gauge stainless steel
GLG-Series: 18 gauge galvanized steel.

LEGS: TSS-Series: 1 5/8" dia. tubular stainless steel with **stainless steel** gussets & bullet feet.
TGLG-Series: 1 5/8" dia. tubular galvanized steel with galvanized steel gussets.
1" adjustable plastic bullet feet.

MATERIAL: Open Base (TSS-TGLG)

TOP: 14 gauge stainless steel type "304" series.

STRETCHERS: TSS-Series: 1-5/8" dia. tubular stainless steel
TGLG-Series: 1-5/8" dia. tubular galvanized steel.

LEGS: TSS-Series: 1-5/8" dia. tubular stainless steel with **stainless steel** gussets & bullet feet.
TGLG-Series: 1-5/8" dia. tubular galvanized steel with galvanized steel gussets.
1" adjustable plastic bullet feet.

L	Stainless Steel	Galvanized Steel	Stainless Steel	Galvanized Steel
48"	SS-484	GLG-484	TSS-484	TGLG-484
60"	SS-485	GLG-485	TSS-485	TGLG-485
72"	SS-486	GLG-486	TSS-486	TGLG-486
84"	SS-487	GLG-487	TSS-487	TGLG-487
96"	SS-488	GLG-488	TSS-488	TGLG-488
108"	SS-489	GLG-489	TSS-489	TGLG-489
120"	SS-4810	GLG-4810	TSS-4810	TGLG-4810
132"	SS-4811	GLG-4811	TSS-4811	TGLG-4811
144"	SS-4812	GLG-4812	TSS-4812	TGLG-4812
	UNDERSHELF STYLE		OPEN BASE STYLE	

OPTIONAL ACCESSORIES	Model #	Qty
Drawer		
Lock		
Sink		
Casters		
Shelving		
Duplex Recept.		
16 Ga. S/S 304 Legs		


ADVANCE TABCO
SMART FABRICATION™
www.advancetabco.com

NEW YORK (800) 645-3166 Fax: (631) 242-6900
GEORGIA (800) 832-1218 Fax: (770) 775-5625
TEXAS (800) 527-0353 Fax: (972) 932-4795
NEVADA (800) 446-8684 Fax: (775) 972-1578


DIMENSIONS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500" Units 8 ft. and larger are furnished with nine (9) legs.All Units Shipped Unassembled (KD) for Reduced Shipping Costs.


SS-Series - S/S Legs & UNDERSHELF - Countertop Edge



TSS-Series - S/S Legs & OPEN BASE- Countertop Edge



Center Cross Brace
allowing for storage
under both sides of table



L	Stainless Steel	Galvanized Steel	Wt.	Stainless Steel	Galvanized Steel	Wt.
48"	SS-484	GLG-484	158 lbs.	TSS-484	TGLG-484	128 lbs.
60"	SS-485	GLG-485	184 lbs.	TSS-485	TGLG-485	148 lbs.
72"	SS-486	GLG-486	218 lbs.	TSS-486	TGLG-486	170 lbs.
84"	SS-487	GLG-487	260 lbs.	TSS-487	TGLG-487	206 lbs.
96"	SS-488	GLG-488	290 lbs.	TSS-488	TGLG-488	228 lbs.
108"	SS-489	GLG-489	322 lbs.	TSS-489	TGLG-489	260 lbs.
120"	SS-4810	GLG-4810	522 lbs.	TSS-4810	TGLG-4810	454 lbs.
132"	SS-4811	GLG-4811	601 lbs.	TSS-4811	TGLG-4811	517 lbs.
144"	SS-4812	GLG-4812	616 lbs.	TSS-4812	TGLG-4812	532 lbs.

ADVANCE TABCO
SMART FABRICATION

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.


© ADVANCE TABCO, SEPTEMBER 2005

ADVANCE TABCO
SMART FABRICATION™

STAINLESS STEEL

REGALINE SINKS NSF

Three Compartments - Two Drainboards



"940" Series shown

Recessed Bowl Surface Accommodates Poly-Vance Cutting Boards & Sink Covers

Item #: ..... Qty #: .....

Model #: .....

Project #: .....

FEATURES:

Tile edge for ease of installation.

One piece **Deep Drawn** sink bowls with integral drainboards with splash.

Featuring the single bowl unit design.

All sink bowls have a large liberal 3" radius.

Placement of the welded leg assembly ensures stability and furnishes direct support of the column load requirement for the entire sink unit.

"940" series is supplied with adjustable front and rear cross brace featuring leg casting to secure left to right cross bracing.

CONSTRUCTION:

All TIG welded.

Welded areas blended to match adjacent surfaces and to a satin finish.

Gussets welded to a die-embossed reinforcing channel.

MATERIALS:

Spec-Line (940 Series): 14 gauge type 304 stainless steel 11" High Splash.

Standard (930 Series): 16 gauge type 304 stainless steel 8" High Splash.

Super Saver (900 Series): 18 gauge type 304 stainless steel 8" High Splash.

LEGS:
- 1 5/8" diameter tubular stainless steel.
- Stainless steel gussets & channels.
- Stainless Steel 1" adjustable bullet feet.

YES! It's SeaMLess!

					SPEC-LINE 940 Series		STANDARD 930 Series		SUPER SAVER 900 Series		
					14 Ga. 304 S/S 14" Water Level		16 Ga. 304 S/S 12" Water Level		18 Ga. 304 S/S 12" Water Level		
BOWL SIZE	O.A. LENGTH (inches)	(mm)	DRBD. SIZE (inches)	(mm)	MODEL #	Approx. Wt. (lbs.)	MODEL #	Approx. Wt. (lbs.)	MODEL #	Approx. Wt. (lbs.)	Cubic Feet
16 x 20 (406 x 508)	91"	2311	18"	457	94-3-54-18RL	230	93-3-54-18RL	189	9-3-54-18RL	182	49
	103"	2616	24"	610	94-3-54-24RL	248	93-3-54-24RL	197	9-3-54-24RL	190	55
	127"	3226	*36"	914	94-3-54-36RL	275	93-3-54-36RL	239	9-3-54-36RL	208	96
20 x 20 (508 x 508)	103"	2616	18"	457	94-23-60-18RL	248	93-23-60-18RL	203	9-23-60-18RL	198	59
	115"	2921	24"	610	94-23-60-24RL	276	93-23-60-24RL	220	9-23-60-24RL	195	65
	139"	3531	*36"	914	94-23-60-36RL	408	93-23-60-36RL	387	9-23-60-36RL	364	89
18 x 24 (457 x 610)	97"	2457	18"	457	94-63-54-18RL	323	93-63-54-18RL	289	9-63-54-18RL	226	62
	109"	2762	24"	610	94-63-54-24RL	334	93-63-54-24RL	304	9-63-54-24RL	233	85
	133"	3372	*36"	914	94-63-54-36RL	418	93-63-54-36RL	367	9-63-54-36RL	325	96
24 x 24 (610 x 610)	†127"	3226	24"	610	94-43-72-24RL	390	93-43-72-24RL	331	9-43-72-24RL	318	98
	†151"	3835	*36"	914	94-43-72-36RL	448	93-43-72-36RL	393	9-43-72-36RL	345	110
20 x 28 (508 x 711)	103"	2616	18"	457	94-83-60-18RL	358	93-83-60-18RL	315	9-83-60-18RL	277	83
	115"	2921	24"	610	94-83-60-24RL	394	93-83-60-24RL	346	9-83-60-24RL	305	95
	139"	3531	*36"	914	94-83-60-36RL	451	93-83-60-36RL	398	9-83-60-36RL	350	109
					14" Water Level 17" Flood Level		12" Water Level 15" Flood Level		12" Water Level 15" Flood Level		

† Requires Two Faucets

*** Regalines with 36" Drainboards are Supplied with Two Sets of Legs for Support.**

ADVANCE TABCO
SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.


For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900


For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933


DIMENSIONS and SPECIFICATIONS

TOL Overall: ± .500"
Interior: ± .250"

ALL DIMENSIONS ARE TYPICAL








940 Series Adjustable Cross Bracing

DESCRIPTION								940 SERIES					900 & 930 SERIES				
BOWL (SIZE)	Overall Length	DRBD (SIZE)	Recommended Use	A	B	C	D	V	W	X	Y	Z	V	W	X	Y	Z
16x20	91" 103" 127"	18" 24" *36"	DISH SINKS	20"	16"	13 5/8"	27"	38"	11"	14"	20"	45"	38"	8"	12"	22"	42"
20x20	103" 115" 139"	18" 24" *36"	DISH & POT SINKS	20"	20"	13 5/8"	27"	38"	11"	14"	20"	45"	38"	8"	12"	22"	42"
18x24	97" 109" 133"	18" 24" *36"	POT & PAN SINKS	24"	18"	15 5/8"	31"	38"	11"	14"	20"	45"	38"	8"	12"	22"	42"
24x24	†127" †151"	24" *36"	POT SINKS	24"	24"	15 5/8"	31"	38"	11"	14"	20"	45"	38"	8"	12"	22"	42"
20x28	103" 115" 139"	18" 24" *36"	PAN SINKS	28"	20"	17 5/8"	35"	38"	11"	14"	20"	45"	38"	8"	12"	22"	42"

† Requires Two Faucets

*** Regalines with 36" Drainboards are Supplied with Two Sets of Legs for Support.**

PLUMBING ROUGH-IN




MECHANICAL:

- Supply is 1/2" IPS hot & cold.
- Faucet holes on 8" centers.
- Faucets are not included **(see accessories)**.
- Waste drains are 1 1/2" IPS S/S basket type, located in center of sink bowl, and are included.

NSF

SECTION




ADVANCE TABCO
SMART FABRICATION™

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, SEPTEMBER 2014

K-1
12" SWING SPOUT SPLASH MOUNT FAUCET

Meets All Federal Lead Free Standards



FAUCET AERATOR CONFORM TO ASTM.A112.18.1M • 1.0 GPM/3.8 LP
THREAD: 55/64 - 27 FEMALE



Click This Link To View Assembly Sheet

Item #: _____ Qty #: _____
Model #: _____
Project #: _____

FEATURES:

12" swing spout.
8" O.C. water supply.
Quarter-turn wedge style handles.
Colored hot & cold Indexes.
1.0 GPM/3.8 LPM Aerator. 60 PSI.

MATERIAL:

Brass chrome plated body & spout.
Chrome plated handles.

Options & Accessories

Replacement Spout For K-1 Faucet

12" Swing Spout.

K-1SP



Replacement Cartridges For K-1 Faucet

*Can Only Be Used On Faucets Purchased After January 2016. For Older Faucets, Consult Customer Service.

K-00HB (Set of 2)



Wrist Handles For Existing K-1 Faucet

*Can Only Be Used On Faucets Purchased After January 2016. For Older Faucets, Consult Customer Service.

K-416-LUHA (Set of 2)




Low Flow Aerator

.5 GPM

K-08



DIMENSIONS and SPECIFICATIONS



A Length	B Height	C	D	On Center Dimensions
12"	5"	2 1/2"	14"	8" O.C.

ADVANCE TABCO SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900


For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice. © ADVANCE TABCO, JULY 2017 **REF-G**

DTA-53
SPLASH MOUNT PRERINSE FAUCET

Meets All Federal Lead Free Standards





Click This Link To View Assembly Sheet

Item #: Qty #:

Model #:

Project #:


FEATURES:

8" O.C. water supply.
Quarter-turn wedge style handles.
Colored hot & cold Indexes.
Spray head with continuous water flow ring.
Heavy duty hose spring.
Wall mount bracket.
Adjustable spray head hook.

MATERIAL:

Brass chrome plated body.
Chrome plated handles.

DIMENSIONS and SPECIFICATIONS



A Length	B Height	C	D	On Center Dimensions
15"	34"	5"	15"	8" O.C.

Options & Accessories

Replacement Hose
Handle Not Included.
K-113



Replacement Spray Head and Handle
K-114



12" Add-A-Faucet For DTA-53 Prerinse Faucet
K-117



ADVANCE TABCO SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or Fax: 631-586-2933

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice. © ADVANCE TABCO, JULY 2017 REF-G

ADVANCE TABCO
SMART FABRICATION™

K-117
ADD-A_FAUCET

Meets All Federal Lead Free Standards

Item #: _____ Qty #: _____
Model #: _____
Project #: _____





FEATURES:

Fits Advance Tabco K-116, K115 & DTA-53.
Quarter-turn wedge style handle.
Colored hot & cold Indexes.
Spray head with continuous water flow ring.
Heavy duty hose spring.
Wall mount bracket.
Adjustable spray head hook.

MATERIAL:

Brass chrome plated body.
Chrome plates handles.

Options & Accessories


Replacement Spout For K-117 Faucet
12" Swing Spout.
K-1SP



Low Flow Aerator
.5 GPM
K-08



DIMENSIONS and SPECIFICATIONS



A Length	B Height	C	D
12"	8 13/16"	6 3/8"	10 7/16"

ADVANCE TABCO
SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice. © ADVANCE TABCO, JULY 2017 **REF-G**

ADVANCE TABCO
SMART FABRICATION™

SINK DRAINS & ACCESSORIES

Twist Handle Operated Drain



K-5

Twist Handle Operated Drain With Overflow



K-15

Lever Operated Drains For Hand Sinks

with Overflow



K-26

No Overflow



K-67

SPEC-LINE Twist Handle Operated Drain All Stainless Steel



K-40

3-1/2" Basket Drain



K-6

Replacement Drain Basket For K-6




K-310

2" Drain with Strainer Plate




K-63

Replacement "O" Rings For Twist Handle Drains
(For K-5 & K-15 Drains)



K-05

Twist Drain Support Bracket



K-4

Replacement Strainer For 3-1/2" Drains



K-410

Replacement Strainer For 2" Drains



K-411

Replacement Washers For 3-1/2" Drains
(Set of 2)



K-67F

ADVANCE TABCO
SMART FABRICATION™
www.advancetabco.com


Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900


For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

DIMENSIONS and SPECIFICATIONS


TOL ± .125" ALL DIMENSIONS ARE TYPICAL




K-6




K-5



K-15



K-26 & K-67 For Hand Sinks (K-67 Excludes Overflow)




K-40

ADVANCE TABCO
SMART FABRICATION™

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, JANUARY 2018

SINK MODIFICATIONS & ACCESSORIES






K-37 Anti-Siphon Vacuum Braker Holes



K-72 Leg-To-Wall Brace



K-460A Disposal Cone w/ Control Bracket & Faucet Holes



K-461A Install Collar w/ Control Bracket

MODIFICATIONS

K-4	Support Bracket for Lever Waste Drain Handle
K-23	Welded Set-Up/Crated
K-24	Shell Crating
K-37	Anti-Siphon Vacuum Breaker Holes
K-57	Welded field Joint *(Welded in field by others)*
K-76	Paint on Sound Deadening
K-77	Splash Cutout (Pipe Chase)
K-106	Mirror Highlite Edge for Sink
K-440	Waste Trough with 2" deep removable basket
K-447	High Backsplash up to 18"
K-448	High Backsplash up to 13"
K-450	Extra Drainboard
K-451	Drainboard Corner Turn
K-452	Control Bracket 8" x 12"
K-452S	Splash Mounted Control Bracket 8" x 12"
K-453	Control Bracket 14" x 16"
K-453S	Splash Mounted Control Bracket 14" x 16"
K-454	Sidesplash
K-456	Scrap Block Installed
K-460	Installation of Disposal Cone with 8" x 12" Control Bracket, Faucet Holes *(Cone supplied by others)*
K-460A	Installation of Disposal Cone with 14" x 16" Control Bracket, Faucet Holes *(Cone supplied by others)*

K-461	Install Collar with 8" x 12" control bracket *(Collar by others)*
K-461A	Install Collar with 14" x 16" control bracket *(Collar by others)*
K-470	Modify Bowl Depth
K-472	Faucet Hole Revision
K-473	Working Height Revision
K-476	Punch for Over Flow Holes *(Holes Only. N/C when ordering K-15)*
K-479	Undershelf Under Drainboard
K-480	Stainless Steel 12" Wide Shelf *(min. of 3 ft.)*
K-480A	Stainless Steel 15" Wide Shelf *(min. of 3 ft.)*
K-490	Provision for Pot Washer *(For "Wells-PW-106" only)*
K-491	Provision for Hatco Heater
K-495	Turn Down Backsplash *(Includes 2 Brackets. See K-397 Addt'l Sets)*
K-498	Tubular Overshelf 12" wide (Min. 3 Ft.)
K-499	Stainless Steel Pot Rack
K-500	Stainless Steel Apron to Cover Sink Bowls
K-500A	17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles
K-508	Special Sizing Charge (Larger size cut down to smaller size
K-508A	Special Modification Charge
K-510	Prepare Sink for Undercounter Dishwasher *(24" drainboard or larger)*
K-520	Poly Board/Stainless Steel Cover Holder
K-550	Stainless Steel Tubular Rack Storage

ACCESSORIES

K-30	Faucet Wall Mounting Bracket
K-72	Leg To Wall Brace
K-350	Residential Finish & Packaging
K-397	Wall Brackets for Sink *(Brackets Included with K-495)*
K-457	Replacement Rubber Scrap Block *(See K-456 for install cost)*
K-474	16 ga., '304' Series S/S Leg with S/S Foot
K-475	S/S Legs with S/S Foot
K-478	Stainless Steel Bullet Foot
K-488	Flanged S/S Bullet Foot
K-493	16 ga., '304' Series S/S Welded Leg Assembly with S/S Feet
K-494	S/S Welded Leg Assembly with S/S Feet
K-497	Galv. Welded Leg Assembly with Plastic Feet
K-497A	Galv. Individual Legs with Plastic Feet
K-496	Leg Assembly For Grease Interceptor w/ Adj. Cross-Bracing & S/S Feet *(For Grease Interceptors with 15" Ht. or less. Consult factory for larger Grease Interceptors)*
K-610	Perforated Stainless Steel Sink Grid *(Specify Bowl Size)*

SINK COVERS

Choose Model # & Add The Proper Letter In Place Of The Underscore (_). Example: K-2A or FC-455H

Bowl Size	FOR DEEP DRAWN BOWLS: Poly Covers Model K-2_	FOR DEEP DRAWN BOWLS: S/S Covers Model K-455_	FOR FABRICATED BOWLS: Poly Covers Model K-2_	FOR FABRICATED BOWLS: S/S Covers Model FC-455_
16" x 20"	C	C	CF	C
20" x 20"	E	E	EF	E
24" x 24"	F	F	FF	F
10" x 14"	A	A	AF	A
20" x 28"	G	G	GF	G
14" x 16"	B	B	BF	B
18" x 24"	D	D	DF	D
18" x 18"	Not Available	Not Available	JF	J
20" x 24"	Not Available	Not Available	PF	P
24" x 36"	Not Available	Not Available	RF	R
20" x 30"	Not Available	Not Available	SF	S
24" x 30"	Not Available	Not Available	TF	T
15" x 15"	Not Available	Not Available	MF	M
14" x 14"	H	H	HF	H
12" x 20"	I	I	IF	I

Custom Covers Available. Consult Factory.

ADVANCE TABCO SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice. © ADVANCE TABCO, DEC. 2016 REF-F

STAINLESS STEEL

REMOVABLE 12" SIDE SPLASH

For FC & FS Series Sinks



FEATURES:

Removable Side Splash for easy cleaning.

Easily mounts directly to Advance Tabco FC & FS Series sink rims

Accommodates left & right sides.

Protects nearby areas from getting contaminated.

MATERIAL:

18 gauge type 304 Series.

CONSTRUCTION:


Welded areas blended to match adjacent surfaces and to a satin finish.

Model #	O.A. Size W x H	Compatible Sink	Approx. Wt.	Approx. Cu.
K-700	Custom	For all other sink sizes	N/A	N/A
K-700F-18	18" x 12"	For sinks with 18" front-to-back bowls	4 lbs.	1
K-700F-24	24 x 12"	For sinks with 24" front-to-back bowls	4 lbs.	1

DIMENSIONS and SPECIFICATIONS

TOL ± .500"

ALL DIMENSIONS ARE TYPICAL



ADVANCE TABCO SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice. © ADVANCE TABCO, MARCH 2016 **REF-E**

PROJECT: _____ **ITEM NO.:** _____

MEDIUM CAPACITY DISPOSERS

COMMERCIAL DISPOSERS FOR HEAVY DUTY FOODSERVICE USE

PRODUCT FEATURES & SPECIFICATIONS

IDEAL FOR HEAVY DUTY APPLICATIONS

- Restaurants
- Schools & universities
- Healthcare & hospitals
- Travel & leisure

PRODUCT OVERVIEW

- Corrosion resistant stainless steel grind chamber
- 3/4" (19.1 mm) rubber mounting above grinding chamber, enclosed in chrome plated covers for sanitation and appearance
- 1-1/2 to 2 H.P. induction motor with built-in thermal overload protection, 1725 RPM, totally enclosed to provide protection against outside moisture with controlled power air flow to cool motor—provides better efficiency, longer life
- Cast nickel chrome alloy stationary and rotating shredding elements for long life and corrosion resistance, designed for reverse action grinding
- Double-tapered Timken roller bearings provide a shock absorbing cushion
- Triple lip seal protects motor from water damage and secondary spring-loaded oil seal provides double protection against water and loss of grease
- Stainless steel and chrome plated finish—paint-free for lasting sanitation

WHAT'S INCLUDED

- Base disposer: 1 mounting gasket, support legs
- Disposer packages: 1 mounting/bowl assembly, 1 electrical control, 1 syphon breaker, 1 solenoid valve, and 1 flow control valve (the standard flow control valve will be sent with the unit unless the optional valve is specified)



1 YEAR ON-SITE PARTS & LABOR WARRANTY

MODEL & HORSEPOWER/ELECTRICAL REQUIREMENTS

☐ **SS-150** 1-1/2 H.P.

- ☐ 115/208-230V, 60 Hz, 1 Ph, 12.2/5.7/6.1 amps, **CUL**
- ☐ 208-230/460V, 60 Hz, 3 Ph, 3.2/4.6/2.3 amps, **CUL**
- ☐ 115/208-230V, 60 Hz, 1 Ph, 12.2/5.7/6.1 amps, **CUL, short body**
- ☐ 208-230/460V, 60 Hz, 3 Ph, 3.2/4.6/2.3 amps, **CUL, short body**
- ☐ 115/230V, 50 Hz, 1 Ph, 10.3/5.6 amps
- ☐ 230/460V, 50 Hz, 3 Ph, 3.0/1.5 amps
- ☐ 380V, 50 Hz, 3 Ph, 1.7 amps

☐ **SS-200** 2 H.P.

- ☐ 115/208-230V, 60 Hz, 1 Ph, 17.4/7.7/8.7 amps, **CUL**
- ☐ 208-230/460V, 60 Hz, 3 Ph, 3.3/5.0/2.5 amps, **CUL**
- ☐ 115/208-230V, 60 Hz, 1 Ph, 17.4/7.7/8.7 amps, **CUL, short body**
- ☐ 208-230/460V, 60 Hz, 3 Ph, 3.3/5.0/2.5 amps, **CUL, short body**
- ☐ 208-240/460V, 60 Hz, 3 Ph, 3.3/5.0/2.5 amps, **NOM**

ELECTRICAL CONTROLS

☐ **AS-101 Control Center** AquaSaver® (Auto-Reversing)



Industry Exclusive! *Automatically regulates water flow to grind load*

☐ **CC-101 Control Center** (Auto-Reversing)



☐ **CC-202 Control Center** (Auto-Reversing)



☐ **Manual Reverse Switch** (Dual Direction)



☐ **Manual Switch** (Single Direction)



A complete collection of our product drawings is available for download at the **InSinkErator Revit/CAD** Library, which can be found at www.insinkerator.com/foodservice. Product information is also accessible on ***The KCL CADalog***. More information is available from KCL at www.kclcad.com.

KCL

insinkerator
4700 21st STREET
RACINE, WI 53406
TEL: 800-845-8345
FAX: 262 554-3620
www.insinkerator.com/foodservice

c UL us LISTED NOM ANCE ISO 9001 QUALITY SYSTEMS CERTIFIED

The Emerson logo is a trademark and a service mark of Emerson Electric Co.

EMERSON.

DISPOSER MOUNTING ASSEMBLIES (choose one)

Bowl Mounts



☐ Type A Sink Bowl Assembly: Includes bowl, water nozzle(s), bowl cover, splash baffle



☐ Type B Sink Bowl Assembly: Includes bowl, water nozzle(s), silver guard, splash baffle



☐ Type C Sink Bowl Assembly: Includes bowl, water nozzle(s), splash baffle

Sink Bowl Assembly Size

☐ 12" (304.8 mm) with one adjustable water nozzle
☐ 15" (381.0 mm) with one adjustable water nozzle
☐ 18" (457.2 mm) with two adjustable water nozzles

Collar Mounts



☐ #5 Sink Flange Mounting Assemblies for 3-1/2" – 4" (88.9 mm – 101.6 mm) sink opening (support legs are recommended)



☐ #6 Collar Adaptor for welding into trough, provides 6-5/8" (168.3 mm) opening, includes splash baffle




☐ #7 Collar Adaptor for welding into sink, provides 6-5/8" (168.3 mm) opening, includes splash baffle and stopper

DIMENSIONS

IMPORTANT: Use dimension chart below for adaptor height in place of InSinkErator bowl sink height when mounting directly to a sink.


Bowl Sinks	Flange O.D. X	Work Table Hole Y	Flange I.D. Z	Height
12" (304.8 mm)	13-1/2" (342.9 mm)	12-1/4" (311.2 mm)	12" (304.8 mm)	6-1/2" (165.1 mm)
15" (381 mm)	16-1/2" (419.1 mm)	15-1/4" (387.4 mm)	15" (381.0 mm)	6-1/2" (165.1 mm)
18" (457.2 mm)	19-1/2" (495.3 mm)	18-1/4" (463.6 mm)	18" (457.2 mm)	6-1/2" (165.1 mm)
Adaptors	**X**	**Y**	**Z**	**Height**
No. 5	Fits Standard Sink Opening: 3-1/2" – 4" (88.9 mm – 101.6 mm)			2-3/4" (69.9 mm)
No. 6	7-13/16" (198.4 mm)	6-7/8" (174.6 mm)	6-5/8" (168.3 mm)	1-3/16" (30.7 mm)
No. 7	9-1/8" (231.8 mm)	7-7/8" (200.0 mm)	7-5/8" (193.7 mm)	2-1/16" (52.4 mm)



NOTE:

- Adaptors are available upon request for all competitor sink bowls or cones.
- Please have sink bowl/cone type with the necessary dimensions when ordering adaptors.
- Also available as a **short body** model. Reduces overall height of disposer by 1" (25.4 mm).

RECOMMENDED INSTALLATION



RECOMMENDED WATER USAGE

	Standard	Optional
SS-150	7 GPM (26.5 LPM)	5 GPM (18.9 LPM)
SS-200	7 GPM (26.5 LPM)	5 GPM (18.9 LPM)

For additional information, see Foodservice Product Information Binder.

ADVANCE TABCO®
SMART FABRICATION™

STAINLESS STEEL

SLIDING DOOR STYLE ENCLOSED BASE WORK TABLES

NSF

Item #: Qty #:
Model #:
Project #:


Flat Top


1 1/2" Backsplash


5" Backsplash


FEATURING BOLT-ON STAINLESS STEEL LEG

FEATURES:

FLAT TOP is furnished with a 1 5/8" sanitary rolled rim on the front and 1 5/8" square bend edges on the 2 sides and rear.

1 1/2" SPLASH is furnished with a 1 5/8" sanitary rolled rim on the front side and 1 5/8" square bend edges on the 2 sides and a 1 1/2" splash of single metal thickness on the rear side.

5" SPLASH is furnished with a 1 5/8" sanitary rolled rim on the front side and 1 5/8" square bend edges on the 2 sides and a 5" splash with a 1" return on the rear side.

SLIDING DOORS have recessed handles for ease in opening and closing.

Rear flush panel along the rear of the base unit.

CONSTRUCTION:

All TIG welded. Exposed areas finished to match adjacent surfaces.

Entire Top is mechanically polished to a satin finish and is sound deadened.

Hat section secured to Top reinforces and maintains level working surface.

UNI-BODY DESIGN sides, back and fixed mid shelf (sold separately) are welded to form a single rigid structure.

Legs bolt on to table base.

MATERIAL:

TOP is 14 gauge stainless steel type "304" series with galvanized understructure.

BODY is 18 gauge stainless steel type "430" series.

LEGS are stainless steel and include 1 1/2" adjustable hex foot.


	L	FLAT TOP	1 1/2" SPLASH	5" SPLASH	# of Doors	Approx. Wt.	Approx. Cu. Ft.
24" WIDE	48"	CB-SS-244	CF-SS-244	CK-SS-244	2	183 lbs.	38
	60"	CB-SS-245	CF-SS-245	CK-SS-245	2	235 lbs.	47
	72"	CB-SS-246	CF-SS-246	CK-SS-246	2	275 lbs.	56
	84"	CB-SS-247	CF-SS-247	CK-SS-247	4	335 lbs.	66
	96"	CB-SS-248	CF-SS-248	CK-SS-248	4	375 lbs.	74
	108"	CB-SS-249	CF-SS-249	CK-SS-249	4	410 lbs.	83
	120"	CB-SS-2410	CF-SS-2410	CK-SS-2410	4	450 lbs.	92
	144"	CB-SS-2412	CF-SS-2412	CK-SS-2412	4	495 lbs.	109
30" WIDE	48"	CB-SS-304	CF-SS-304	CK-SS-304	2	210 lbs.	45
	60"	CB-SS-305	CF-SS-305	CK-SS-305	2	245 lbs.	55
	72"	CB-SS-306	CF-SS-306	CK-SS-306	2	290 lbs.	66
	84"	CB-SS-307	CF-SS-307	CK-SS-307	4	350 lbs.	76
	96"	CB-SS-308	CF-SS-308	CK-SS-308	4	395 lbs.	87
	108"	CB-SS-309	CF-SS-309	CK-SS-309	4	430 lbs.	97
	120"	CB-SS-3010	CF-SS-3010	CK-SS-3010	4	490 lbs.	107
	144"	CB-SS-3012	CF-SS-3012	CK-SS-3012	4	555 lbs.	128
36" WIDE	48"	CB-SS-364	CF-SS-364	CK-SS-364	2	225 lbs.	53
	60"	CB-SS-365	CF-SS-365	CK-SS-365	2	270 lbs.	65
	72"	CB-SS-366	CF-SS-366	CK-SS-366	2	315 lbs.	77
	84"	CB-SS-367	CF-SS-367	CK-SS-367	4	383 lbs.	90
	96"	CB-SS-368	CF-SS-368	CK-SS-368	4	425 lbs.	102
	108"	CB-SS-369	CF-SS-369	CK-SS-369	4	470 lbs.	114
	120"	CB-SS-3610	CF-SS-3610	CK-SS-3610	4	515 lbs.	126
	144"	CB-SS-3612	CF-SS-3612	CK-SS-3612	4	605 lbs.	151

Mid Shelves Are Available.
To Add a Fixed Mid Shelf, Add "M" After each Model Number.
Upgrade to Adjustable Mid Shelf. Add TA-116.


DETAILS and SPECIFICATIONS

TOL ± .500" Units 7' and larger are furnished with 6 legs. ALL DIMENSIONS ARE TYPICAL


CB-Series Flat Top




CF- Series 1 1/2" Rear Splash



CK-Series 5" Rear Splash




OPTIONAL MID SHELF DETAILS



OPTIONAL ENCLOSED BASE ACCESSORIES

___ **TA-20L** ..... Replacement Bolt-on Leg
___ **TA-19L** ..... Replacement Bolt-on Leg With Flanged Bullet Foot
___ **TA-255P** ..... 5" Heavy Duty Polyurethane Casters (set of 4 - 2 w/ Brakes)
___ **TA-255AP**.... 5" Heavy Duty Polyurethane Casters (set of 6 - 2 w/ Brakes)
___ **TA-46** ..... Door Locks
___ **TA-54** ..... Removable Kick Plate

TA-116 ADJUSTABLE ENCLOSED BASE CABINET MID SHELF (Sold Separately)



Shelves Over 36" In Length Require Multiple Sections With Center Partition.

ADVANCE TABCO
SMART FABRICATION™

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, MARCH 2018


ADVANCE TABCO® SMART FABRICATION™

TABLE MODIFICATIONS & ACCESSORIES

TOP MODIFICATIONS




TA-56
5" NSF Partition




TA-523
Drop-In Urn Trough



CDR-5
Condiment Holder



TA-84
Pass-Thru



TA-108
Grommet For Cords

QTY.		
____	CDR-5	Condiment Holder (Accommodates 5 Bins)
____	TA-1	Notch Backsplash For Roll Up Door w/ Pass-Thru
____	TA-3	Stainless Steel Hat Channel & Gusset Upgrade
____	TA-7	10" Partial Splash
____	TA-8	Column Notch in Rear Splash (Includes Splash)
____	TA-10	5" Partial Splash
____	TA-12	Countertop Edge
____	TA-22	Square Edge Table
____	TA-28	Cut-Out For Cold Well. Incudes Louvered Doors
____	TA-29	16 Ga. 304 Rear Splash Capping Strip w/Adhesive Backing
____	TA-30	1-1/2" Side Splash
____	TA-30A	1-1/2" Turn Up For Table Tops
____	TA-31	5" Side Splash
____	TA-32	10" Side Splash
____	TA-34	Top Cut-Out
____	TA-34A	Top Cut-Out for Undermount Well
____	TA-35	Splash Cut-Out
____	TA-41	Poly-Vance 5/8" Cutting Board
____	TA-56	5" NSF Partition
____	TA-56A	18" NSF Partition
____	TA-57	Prepare Welded Field Joint (Welded in field by others)
____	TA-57A	Bolted Field Joint (Bolted in field by others)
____	TA-57B	Hairline Field Joint
____	TA-58	Stepdown to 24" Working Height
____	TA-64	Urn Trough (Factory installation only)
____	TA-75	Mitered Edge
____	TA-76	Paint on Sound Deadening
____	TA-79	Flour Trough (Factory installation only)
____	TA-82	Scrap Chute (6" dia. opening)
____	TA-84	Simple Pass-Thru
____	TA-87	Enclosed Rear Splash
____	TA-91	Poly Retaining Clips Includes TA-22 (S/S top table)

QTY.		
____	TA-93	Wall Brackets (Includes 2. For 5" & 10 1/2" splash only)
____	TA-96A	Can Opener Provision for Openers with Bolt-on Base (Customer to provide location)
____	TA-96B	Can Opener Surface Mount Provision with 4" S/S Tube for Openers w/o Base (Customer to provide location)
____	TA-96C	Can Opener Spacer Plate Provision for Use on Tables With Countertop Edge & Can Opener Base (Customer to provide location)
____	TA-100	Bull Nose All Sides of Worktable
____	TA-101	Rear Tray Lock
____	TA-106	Mirror HI-LITE Edge
____	TA-107	Vacuum Breaker Holes on Tables (Includes Backsplash with 2" Return)
____	TA-108	2" Hole with Grommet for Appliance Cord
____	TA-112	Hubble Outlet
____	TA-113	Notch Top for Buyout Unit
____	TA-130	Cutlery Dispenser Holder (Undercounter Mounted)
____	TA-135	Plate Shelf (Undercounter Mounted)
____	TA-366A	Heavy duty Understructure Top
____	TA-502	Install Advnace Tabco Hot Food Unit In Work Table Top (Requires TA-34 Top Cut-Out & TA-27 Control Panel. Does not include wiring. Consult factory)
____	TA-521	Drop-In urn Trough 1'
____	TA-522	Drop-In urn Trough 2'
____	TA-523	Drop-In urn Trough 3'
____	TA-524	Drop-In urn Trough 4'
____	TA-525	Drop-In urn Trough 5'
____	TA-526	Drop-In urn Trough 6'
____	TA-527	Drop-In urn Trough 7'
____	TA-528	Drop-In urn Trough 8'
____	TA-529	Drop-In urn Trough 9'
____	TA-550	Install Customer Supplied Buyout Items (Does not include wiring. Consult factory)
____	TA-551	Installation of Hot Food Wells. (Requires TA-34 Top Cut-Out & TA-27 Control Panel. Does not include wiring. Consult factory)

ADVANCE TABCO® SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933


ADVANCE TABCO
SMART FABRICATION™

TABLE MODIFICATIONS & ACCESSORIES


BASE MODIFICATIONS



TA-39
Louvered Hinged Doors




TA-73
Drop-Down Tray Slide



TA-74
Solid Tray Slide



TA-900
ADJ. Height Tables



TA-116
Adj. Mid-Shelf

QTY.		
____	TA-4	Removable Access Panel
____	TA-4A	Luvered Panel
____	TA-5	Curb Mounting Provision
____	TA-15	Provision for Built In Drawer Warmer
____	TA-23	Welded Set-Up Table/Crating
____	TA-24	Shell Crating
____	TA-27	Control Panel (Must add TA-34A or TA-34B)
____	TA-36A	Sliding/Hinge Stainless Steel Doors
____	TA-36B	1/2 Height Stainless Steel Hinge Doors
____	TA-36C	Hinged door with Trash Flap
____	TA-37	Stainless Enclosed Base
____	TA-39	24" Louvered Hinged Doors
____	TA-40	Remove Undershelf in Cabinet Base For Slide in Buyout
____	TA-42	Interior Partition (2.5"x30")
____	TA-43	Filler Panel (3"x30" with Flanged Feet)
____	TA-44	K.D. Aluminum Pan Rack Slides (6 slides. Table min. lgth. 30")
____	TA-45	K.D. Aluminum Glass Rack Slides (3 slides. Table min. lgth. 3 feet)
____	TA-46	Door Locks

QTY.		
____	TA-48	12"x12" Cut-Out in Back Panel/Undershelf for Plumbing
____	TA-54	Removable Kick Plate
____	TA-55	Remove Back Panel (on Enclosed Base)
____	TA-63	Removable Shelving (In addition to standard shelf & table width)
____	TA-70	S/S Tubular Tray Divider (12" sections)
____	TA-73	Tubular Tray Slide w/Dropdown (Stationary Tray Slide Available. Factory installation only)
____	TA-74	Solid Tray Slide
____	TA-92	12" Apron (in front of sink)
____	TA-92A	17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles
____	TA-116	Adjustable Enclosed Base Cabinet Mid Shelf- Add to Price of Enclosed Base Table with Fixed Mid Shelf **(M)**. Shelves Over 36" In Length Require Multiple Sections With Center Partition. For Partial Shelves Add To Price Of Shelf.
____	TA-130	Cutlery Dispenser Holder (Undercounter Mounted)
____	TA-135	Plate Shelf (Undercounter Mounted)
____	TA-205	Connect Cafeteria Items (Per Joint Between 2 Tables. Requires Casters)
____	TA-900	Upgrade Table To be Height Adjustable In Field (Up to 6" Only. Unit Ships Set Up)

ELECTRICAL & DATA PORT OUTLETS




TA-62
Duplex
Outlet



TA-62A
GFI Duplex
Outlet



TA-62D
GFI
Doghouse
Outlet



TA-112
Hubble
Outlet

QTY.		
____	TA-62	Standard Duplex Electrical Outlet & Cover Plate (Under Flat Top). NEMA 5-15R
____	TA-62A	GFI Duplex Outlet & Cover Plate in a VKS Splash. NEMA 5-20R
____	TA-62C	GFI Duplex Outlet & Cover Plate Below Shelf Top. NEMA 5-20R

QTY.		
____	TA-62D	GFI Duplex Outlet & Cover Plate in a Doghouse. NEMA 5-20R
____	TA-62E	Upgrade Outlet to a NEMA 6-20R or Equiv.
____	TA-112	Hubble Outlet
____	TA-622	CAT-5 Data Port Outlet. Cable Not Included

ADVANCE TABCO
SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900


For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

REF-K


ADVANCE TABCO® SMART FABRICATION™

TABLE MODIFICATIONS & ACCESSORIES

OVERSHELF & POT RACK MODIFICATIONS




TA-9A
1"Turn Up




TA-22A
Square Edge



TA-71
Heat Lamp Mounting Provision



TA-100A
Bull Nose



TA-102
24" x 24" Extension

QTY.		
____	TA-9A	Partial 1" Turn-Up for all Table Mt. Shelves
____	TA-22A	Square Edge on Overshelf
____	TA-26-10	Welded Wall Shelf Brackets for 10" Wide Shelf
____	TA-26-12	Welded Wall Shelf Brackets for 12" Wide Shelf
____	TA-26-15	Welded Wall Shelf Brackets for 15" Wide Shelf
____	TA-26-18	Welded Wall Shelf Brackets for 18" Wide Shelf
____	TA-47	Shelf Mounting Bracket for Existing Table
____	TA-49	Wall Shelf 2" Offset
____	TA-60	Special Sizing Charge for Shelves (Must Order Larger Unit to be Cut Down to Smaller Size)
____	TA-71	Heat Lamp Mounting Provision
____	TA-71A	Heat Lamp Remote Control Bracket
____	TA-78	Additional Lin. Ft. Past 12' For Table Mt. Shelf (For ODS, OTS, TS, DS & WS Shelving only)
____	TA-77	Check Minder Shelf Provision (Factory install only)
____	TA-83	Spice Bins

QTY.		
____	TA-84A	Knife Rack for Rolled Rim Tables
____	TA-84B	Knife Rack for Poly Top Tables
____	TA-84C	Knife Rack for Square Edge Tables
____	TA-86	Stainless Steel Pot Hooks
____	TA-89	Double Sided Plated Pot Hooks (Package of 4)
____	TA-89A	Single Sided Plated Pot Hooks (Package of 4)
____	TA-98	Stainless Steel Flat Bar in lieu of Chain
____	TA-99	16 Ga. S/S 304 Upgrade for Wall & Over Shelves
____	TA-100A	Bull Nose All Sides of Shelf
____	TA-100R	Bull Nose Three Sides of Shelf w/ Rear Turn Up
____	TA-102	24" x 24" Extension for Microwave or Computer Shelf (Add to OTS and ODS Shelves. See page 65)
____	TA-103	24" Wide PT Shelf (36" Min Length. Mid mount only. PT Series Shelf, See Pg. 73. Add to 18" Wide Shelf)
____	TA-104	Additional Length Over 12' (Add to 18" Shelf. (PA & CU Shelving Only. Max. Length is 14' as Single Piece)

UNDERSHELF MODIFICATIONS

QTY.		
____	TA-9	1-1/2" Turn-Up for Undershelves
____	TA-17	Upgrade Undershelf to a Marine Edge (Must add TA-23)
____	TA-48	12"x12" Cut-Out in Back Panel or Undershelf for Plumbing

QTY.		
____	TA-94	Upgrade 16 Ga. 304 S/S Undershelf
____	TA-94A	Upgrade 14 Ga. 304 S/S Undershelf
____	TA-366	Reinforced Understructure For Undershelves

SIZE MODIFICATIONS

QTY.		
____	TA-33	Special Working Height
____	TA-59	36" Wide Equipment Stand
____	TA-6	Extra Length for Standard Tables Over 12' (Tables Over 14' Require Field Joint TA-57)
____	TA-61	Special Sizing Charge (Larger Unit Cut Down to Smaller Size)
____	TA-61A	Special Modification Charge

QTY.		
____	TA-65	Enclosed Base Units Over 12' (Open Base Table)
____	TA-66	Enclosed Base Units Over 12' (Sliding Door Units)
____	TA-67	Enclosed Base Units Over 12' (Hinged Door Units)
____	TA-105	Modify Enclosed Base Table w/ Drawers to 24" Width
____	TA-110	Modify Enclosed Base Table w/ Drawers to 36" Width

ADVANCE TABCO® SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or **Fax:** 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or **Fax:** 631-586-2933

ADVANCE TABCO SMART FABRICATION™

TABLE MODIFICATIONS & ACCESSORIES

LEG MODIFICATIONS

QTY.		
____	TA-16	1 Galvanized Leg with Plastic Bullet Foot (34 1/2" Total Length)
____	TA-16-4	4 Galvanized Legs with Plastic Bullet Feet (34 1/2" Total Length)
____	TA-16-6	6 Galvanized Legs with Plastic Bullet Feet (34 1/2" Total Length)
____	TA-19	Stainless Steel Flanged Bullet Foot For Work Table
____	TA-19L	S/S Bolt-on Leg w/ Flanged Foot For Enclosed Base Table
____	TA-20	1 Stainless Steel Leg with S/S Bullet Foot (34 1/2" Total Length)
____	TA-20-4	4 Stainless Steel Leg with S/S Bullet Feet (34 1/2" Total Length)

QTY.		
____	TA-20-6	6 Stainless Steel Leg with S/S Bullet Feet (34 1/2" Total Length)
____	TA-20L	Replacement Bolt-on Leg For Enclosed Base Table
____	TA-21	Stainless Steel Bullet Foot
____	TA-68	Relocate Rear Cross Rail To Center (for Open Base Tables Only)
____	TA-72	Leg to Wall Brace (Set per table)
____	TA-95	Upgrade 16 Ga. 304 S/S Legs Only

WORK TABLE CASTERS



Standard Casters

Maintains the Standard 35-1/2" Working Height

200 lbs. Load Capacity Per Caster

When Used w/ Stainless Steel Legs

TA-25S-4 Set of 4 (Two with Brakes)
TA-25S-6 Set of 6 (Two with Brakes)

When Used w/ Galvanized Legs

TA-25G-4 Set of 4 (Two with Brakes)
TA-25G-6 Set of 6 (Two with Brakes)

Replacement Casters

For Work Tables

TA-25 Set of 4 (Two with Brakes)
TA-25A Set of 6 (Two with Brakes)

200 lbs. Load Capacity Per Caster



Optional Standard Caster Upgrades:

TA-25B Set For brakes on all wheels (Standard Casters) - Add price to the following models: TA-25, TA-25A, TA-25S-4, TA-25S-6, TA-25G-4, TA-25G-6

TA-25C Per Caster Upgrade Standard Caster with Heavy Duty Urethane Wheels (Per Caster)

EQUIPMENT STAND CASTERS



Standard Casters

5" Urethane Wheels.
Maintains the Standard 24" Working Height

200 lbs. Load Capacity Per Caster

w/ Stainless Steel Legs
TA-25ES Set of 4 (Two with Brakes)

w/ Galvanized Legs
TA-25EG Set of 4 (Two with Brakes)



HEAVY DUTY Casters

5" Urethane Wheels

400 lbs. Load Capacity Per Caster

TA-255 Super Heavy Duty Set of 4 (Two with Brakes)
TA-256 Super Heavy Duty Set of 6 (Two with Brakes)

Enclosed Base Table Casters

Easy Bolt-On Style



TA-255P Set of 4 (Two with Brakes)
TA-255AP Set of 6 (Two with Brakes)

300 lbs. Load Capacity Per Caster

For brakes on all wheels (Enclosed Base Casters) - Add price to models: TA-255P or TA-255AP

TA-255PB

Optional Equipment Stand Caster Upgrade:

TA-255B For brakes on all wheels (Equipment Casters) - Add price to any of the following models: TA-255, TA-256, TA-25ES, TA-25EG

Contact Our SMART FABRICATION™ Department for more information at 800-645-3166 or email in your specifications to smartfab@advancetabco.com

ADVANCE TABCO SMART FABRICATION™

REF-K 200 Heartland Boulevard, Edgewood, NY 11717-8380

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, FEBRUARY 2017

STAINLESS STEEL

18 GAUGE GALVANIZED WORK TABLES

TT, TTF & TTK Series


SPECIAL VALUE UNITS

Item #: _____ Qty #: _____

Model #: _____

Project #: _____

NSF







FEATURES:

TT Series top is furnished with 1 5/8" sanitary rolled rim on front and rear and square ends.

TTF Series top is furnished with 1 5/8" sanitary rolled rim on front and and 1 1/2" backsplash on rear.

TTK Series top is furnished with 1 5/8" sanitary rolled rim on front and and 5" backsplash on rear.

Two die formed hat channels are attached to underside of work table top to reinforce and maintain a level working surface.

Leg Collar at undershelf corner secures leg shelf to legs & is fully adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surface.

Top is sound deadened.

Die formed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to hat channels.

MATERIAL:

TOP: 18 Gauge Stainless Steel Type "430" Series

SHELF: 18 Gauge Galvanized Steel with Galvanized Steel Gussets

LEGS: 1 5/8" Diameter Tubular Galvanized Steel 1" Adjustable Plastic Bullet Feet

W	L	Flat Top			1-1/2" Splash			5" Splash		
		Model	Approx. Wt.	Approx. Cu. Ft.	Model	Approx. Wt.	Approx. Cu. Ft.	Model	Approx. Wt.	Approx. Cu. Ft.
18" WIDE	36"	TT-183-X	33 lbs.	3	--	--	--	--	--	--
	48"	TT-184-X	44 lbs.	3	--	--	--	--	--	--
	60"	TT-185-X	55 lbs.	4	--	--	--	--	--	--
	72"	TT-186-X	66 lbs.	5	--	--	--	--	--	--
	84"	TT-187-X	79 lbs.	6	--	--	--	--	--	--
	96"	TT-188-X*	92 lbs.	7	--	--	--	--	--	--
24" WIDE	24"	TT-242-X	36 lbs.	2	TTF-242-X	36 lbs.	2	--	--	--
	30"	TT-240-X	40 lbs.	2	TTF-240-X	40 lbs.	2	--	--	--
	36"	TT-243-X	44 lbs.	2	TTF-243-X	44 lbs.	2	--	--	--
	48"	TT-244-X	52 lbs.	3	TTF-244-X	52 lbs.	3	--	--	--
	60"	TT-245-X	60 lbs.	4	TTF-245-X	60 lbs.	4	--	--	--
	72"	TT-246-X	68 lbs.	4	TTF-246-X	68 lbs.	4	--	--	--
	84"	TT-247-X	75 lbs.	5	TTF-247-X	75 lbs.	5	--	--	--
	96"	TT-248-X*	88 lbs.	9	TTF-248-X*	88 lbs.	9	--	--	--
30" WIDE	30"	TT-300-X	50 lbs.	3	TTF-300-X	50 lbs.	3	--	--	--
	36"	TT-303-X	55 lbs.	3	TTF-303-X	55 lbs.	3	--	--	--
	48"	TT-304-X	64 lbs.	4	TTF-304-X	64 lbs.	4	TTK-304-X	75 lbs.	8
	60"	TT-305-X	73 lbs.	5	TTF-305-X	73 lbs.	5	TTK-305-X	83 lbs.	10
	72"	TT-306-X	82 lbs.	6	TTF-306-X	82 lbs.	6	TTK-306-X	99 lbs.	12
	84"	TT-307-X	92 lbs.	6	TTF-307-X	92 lbs.	6	--	--	--
	96"	TT-308-X*	105 lbs.	11	TTF-308-X*	105 lbs.	11	--	--	--

*8' tables furnished with 6 legs

ADVANCE TABCO SMART FABRICATION™
www.advancetabco.com

Customer Service Available To Assist You 1-800-645-3166 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:
Email: customer@advancetabco.com or Fax: 631-242-6900


For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or Fax: 631-586-2933

REF-O

DIMENSIONS and SPECIFICATIONS


ALL DIMENSIONS ARE TYPICAL TOL ± .500"


All Units Shipped Unassembled (KD) for Reduced Shipping Costs.




For Future Drawer Installation,
Order **TA-90 Drawer Adapter**
With The Drawer


TT SERIES







TTF SERIES





TTK SERIES





ADVANCE TABCO
SMART FABRICATION™

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, DECEMBER 2017